


EQUIPMENT REQUIRED:

#2 Philips Head Screwdriver
Chalk Line

Level
Power Drill

Wall Mounting Hardware
Drill Bits for Mounting Hardware





1. Lay out all pieces on floor & match up pieces into configuration.
2. Assemble **Header, Footer & Right / Left Jamba** (Header, Footer & Jamb screws are included attached to the unit.)
3. Remove **Face Cap** from Header and Jamba. Also remove the **Angle** attached to the inside of the **Header**.
4. Slide **REAR Weights** into the back track of the **Jamba**.
(The weights are labeled to correspond with the sliding panel)
5. Stand unit up to the wall. (Use caution to keep weights in place).
6. Attach **Jamba** to wall through the back face. (Make sure top is level and sides are plumb).
7. Remove Jamb's channel guide tracks.

INSTALLATION INSTRUCTIONS **VERTICAL SLIDER**

8. Attach **Fixed Rear Panel** to wall. (Writing panel with plain trim)

The simplest way is to face countersink screws along the vertical edge trim, since these edges will be hidden by guide track when replaced.

9. Secure cables to **Sliding Panels** (The loop fits *through* 3/8 SET SCREW in top pulley bracket as shown).
10. Fit rear **Slider Panel** into rear **Guide Track** and slide back into position. Reinstall Guide track screws.



11. Thread cables through **Pulley Wheel Bracket** and down weight channel in jambs.
12. Prop the panels up vertically about 3' from the floor to provide working slack for attaching weights.
13. Slip weights on the ends of the cable using the notched eye hooks.
14. Remove your blocks and test the sliding panels. They should glide easily, and stop when force is removed.

NOTE: Panels may glide if excess force is used.

15. Fit front **Slider Panel** into position in same manner following steps 9–10 using front guide track.
16. Replace **Face Cap** and **Header Angle**.
17. Set **Kick Panel** into place. Install screws temporarily into **Top Angle**. Level the kick panel & mark the floor for **Mount Angle**.
18. Remove Top Angle screw and pull kick panel away. Install **Mount Angle** to the floor. Re-secure the kick panel & Top Angle screws.

